

SAFETY DATA SHEET

1. Identification Product identifier

BIOTENE MOUTHWASH

Other means of identification	
Synonyms	MFC: LACLEDE 30600064L BIOTENE DRY MOUTH ORAL RINSE * MFC02600 BIOTENE REGULAR MOUTHWASH EU * MFC04360 BIOTENE PBF ORAL RINSE / MOUTH WASH WITH OPTAMINT FRUITY BUBBLE * MFC 04301 * MFC 04302 * MFC 04304 * BIOTENE PBF MOUTHWASH * FORMULATION CODE 30602574L * BIOTENE ORIGINAL MOUTHWASH (OPTAMINT PEPPERMINT) * BIOTENE FLAVOUR FREE MOUTHWASH * BIOTENE MOUTHWASH 95% BASE * BIOTENE DRY MOUTH MOUTHWASH * BIOTENE ORIGINAL ORAL RINSE / MOUTH WASH (S. AROMA CLINICAL) * BIOTENE ORIGINAL ORAL RINSE / MOUTH WASH - 95% BASE (S. AROMA CLINICAL) * ORAL CARE, FORMULATED PRODUCT
Recommended use	Oral Care
Recommended restrictions	No other uses are advised.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
	GlaxoSmithKline US 5 Moore Drive Research Triangle Park, NC 27709 USA US General Information (normal business hours): +1-888-825-5249
	Email Address: msds@gsk.com Website: www.gsk.com CHEMTREC EMERGENCY PHONE NUMBERS -
	TRANSPORT EMERGENCIES: Customer Number: CCN9484 US / International toll call +1 703 527 3887 available 24 hrs/7 days; multi-language response

2. Hazard(s) identification

Classified hazards

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Label elements

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Hazard(s) not otherwise classified (HNOC)

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

3. Composition/information on ingredients

Mixtures

emical name Common name and synonyms		CAS number	%	
PROPYLENE GLYCOL	1,2-PROPANEDIOL 1,2-DIHYDROXYPROPANE 2-HYDROXYPROPANOL ISOPROPYLENE GLYCOL METHYLETHYLENE GLYCOL MONOPROPYLENE GLYCOL 2,3-PROPANEDIOL ALPHA-PROPYLENE GLYCOL 1,2-PROPYLENE GLYCOL 1,2-PROPANEDIOL 1,2-(RS)-PROPANEDIOL 1,2-PROPANEDIOL DL-1,2-PROPANEDIOL DL-1,2-PROPANEDIOL DL-1,2-DIOL (PROPYLENE GLYCOL) PROPANE-1,2-DIOL PROPANE-1-2-DIOL PROPANEDIOL,1,2-	57-55-6	3 - 14	
XYLITOL	D-XYLITOL 1,2,3,4,5-PENTAHYDROXYPENTANE KLINIT KYLIT XYLITE XYLITON BP-706	87-99-0	7 - 8	
GLYCEROL	GLYCERINE 1,2,3-PROPANETRIOL GLYCYL ALCOHOL TRIHYDROXYPROPANE 1,2,3-TRIHYDROXYPROPANE GLYCERIN, ANHYDROUS GLYCERIN 1,2,3-PROPANTRIOL	56-81-5	0 - 10	
SODIUM BENZOATE	BENZOIC ACID, SODIUM SALT BENZOATE OF SODA SODUIM BENZOIC ACID	532-32-1	0.5	
MUTANASE			0 - 0.2	
OPTAMINT FRUITY BUBBLE MW 413027		Unassigned	< 0.2	
BENZOIC ACID	BENZENECARBOXYLIC ACID BENZENEMETHANOIC ACID BENZENEFORMIC ACID BENZOATE CARBOXYBENZENE DRACYLIC ACID PHENYL CARBOXYLIC ACID PHENYLFORMIC ACID PHENYLCARBOXYLIC ACID E 210 HA 1 HA 1(ACID) RETARDEX RETARDEX RETARDER BA SOLVO POWDER TENN-PLAS OHS02720 RTECS DG0875000	65-85-0	< 0.1	
CALCIUM LACTATE	PROPANOIC ACID, 2-HYDROXY-, CALCIUM SALT (2:1) LACTIC ACID (2:1), CALCIUM SALT 2-HYDROXYPROPANOIC ACID, CALCIUM SALT (2:1) CALCIUM 2-HYDROXYPROPIONATE CALCIUM LACTATE, ANHYDROUS CALPHOSAN	814-80-2	< 0.1	

DEXTRANASE GLUCOSE OXIDASE LACTOFERRIN LACTOPEROXIDASE		9025-70-1 9001-37-0	0 - 0.1
LACTOFERRIN LACTOPEROXIDASE		9001-37-0	
LACTOPEROXIDASE			< 0.1
			< 0.1
	peroxydase	9003-99-0	< 0.1
LYSOZYME			< 0.1
METHYL PARABEN	GR30517X METHYL P-HYDROXYBENZOATE P-HYDROXYBENZOIC ACID, METHYL ESTER 4-HYDROXYBENZOIC ACID, METHYL ESTER METHYL P-OXYBENZOATE METHYL PARAHYDROXYBENZOATE	99-76-3	0 - 0.1
POTASSIUM THIOCYANATE	POTASSIUM ISOTHIOCYANATE THIOCARA PHODA-NIDE POTASSIUM SULFOCYANATE POTASSIUM RHODANIDE POTASSIUM RHODANATE ATERO-CYN ARTEROCYN KYONATE RHOCYN RODANCA P-317 OHS19640 RTECS XL1925000 166 (GW ACN)	333-20-0	< 0.1
PROPYL PARABEN	PROPYL P-HYDROXYBENZOATE PROTABEN 4-HYDROXYBENZOIC ACID, PROPYL ESTER P-HYDROXYBENZOIC ACID, PROPYL ESTER PASEPTOL PARASEPT PROPYL ASEPTOFORM PROPYL P-OXYBENZOATE	94-13-3	0 - 0.1
SODIUM PHOSPHATE, MONOBASIC	MONOSODIUM PHOSPHATE SODIUM DIHYDROGEN PHOSPHATE MONOSODIUM DIHYDROGEN PHOSPHAT E SODIUM BIPHOSPHATE MONOSODIUM ORTHOPHOSPHATE PHOSPHORIC ACID, MONOSODIUM SALT MONOBASIC SODIUM PHOSPHATE MONOSODIUM HYDROGEN PHOSPHATE SODIUM DIPHOSPHATE ANHYDROUS SODIUM PRIMARY PHOSPHATE SODIUM PHOSPHATE	7558-80-7	< 0.1
ZINC GLUCONATE	BIS(D-GLUCONATO-O(SUP1),O(SUP2)ZIN C ZINC, BIS(D-GLUCONATO-O(SUP1),O (SUP2) GLUCONAL ZN ZINC, BIS(D-GLUCONATO-O(1),O(2))- ZYMIZINC GLUCONIC ACID, ZINC SALT D-GLUCONIC ACID, ZINC COMPLEX	4468-02-4	< 0.1

Other components below reportable levels

70 - < 80

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Firet-aid measures

4. First-aid measures	
Inhalation	Move to fresh air. If breathing is difficult, trained personnel should give oxygen. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. Get medical attention if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large amount does occur, call a poison control center immediately. Do not induce vomiting without advice from poison control center.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information center.
General information	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting	Move containers from fire area if you can do so without risk.

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards This product will support combustion at elevated temperatures.

6. Accidental release measures

equipment/instructions

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
Environmental precautions	Avoid discharge into drains, water courses of onto the ground.
7. Handling and storage	
Precautions for safe handling	Keep away from heat/sparks/open flames/hot surfaces No smoking. No special control measures required for the normal handling of this product. Avoid prolonged exposure. Use care in handling/storage.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
BENZOIC ACID (CAS 65-85-0)	OHC	2	PROVISIONAL
CALCIÚM LACTATE (CAS 814-80-2)	8 HR TWA	5000 mcg/m3	
,	OHC	1	
POTASSIUM THIOCYANATE (CAS 333-20-0)	8 HR TWA	5000 mcg/m3	
	OHC	1	
PROPYL PARABEN (CAS 94-13-3)	8 HR TWA	5000 mcg/m3	
	OHC	1	
SODIUM BENZOATE (CAS 532-32-1)	8 HR TWA	5000 mcg/m3	
SODIUM PHOSPHATE, MONOBASIC (CAS 7558-80-7)	OHC	1	
ZINC GLUCONATE (CAS 4468-02-4)	OHC	2	
US. OSHA Table Z-1 Limits	for Air Contaminants (29 CFR 1910.1000))	
Components	Туре	Value	Form
GLYCEROL (CAS 56-81-5)	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
	PEL onmental Exposure Level (WEEL) Guides Type	15 mg/m3	
US. AIHA Workplace Enviro	onmental Exposure Level (WEEL) Guides	15 mg/m3	Total dust.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL	onmental Exposure Level (WEEL) Guides Type	15 mg/m3 Value 10 mg/m3	Total dust.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6)	onmental Exposure Level (WEEL) Guides Type TWA	15 mg/m3 Value 10 mg/m3	Total dust.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values	onmental Exposure Level (WEEL) Guides Type TWA	15 mg/m3 Value 10 mg/m3	Total dust.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols	Type TWA No biological exposure limits noted for th General ventilation normally adequate.	15 mg/m3 Value 10 mg/m3 he ingredient(s).	Total dust.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols	onmental Exposure Level (WEEL) Guides Type TWA No biological exposure limits noted for th	15 mg/m3 Value 10 mg/m3 he ingredient(s).	Total dust. Form Aerosol.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols	Type TWA No biological exposure limits noted for th General ventilation normally adequate.	15 mg/m3 Value 10 mg/m3 he ingredient(s).	Total dust. Form Aerosol.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols vidual protection measures Eye/face protection	Type TWA No biological exposure limits noted for th General ventilation normally adequate.	15 mg/m3 Value 10 mg/m3 the ingredient(s). safety glasses with side shirt	Total dust. Form Aerosol. elds are recommended.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols vidual protection measures Eye/face protection Skin protection	TWA TWA No biological exposure limits noted for th General ventilation normally adequate. , such as personal protective equipment Not normally needed. If contact is likely,	15 mg/m3 Value 10 mg/m3 he ingredient(s).	Total dust. Form Aerosol. elds are recommended. itable protective gloves.
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols vidual protection measures Eye/face protection Skin protection Hand protection	TWA TWA No biological exposure limits noted for th General ventilation normally adequate. , such as personal protective equipment Not normally needed. If contact is likely, Not normally needed. For prolonged or re Not normally needed. Wear suitable prot contamination. No personal respiratory protective equipment	15 mg/m3 Value 10 mg/m3 he ingredient(s). safety glasses with side shire epeated skin contact use su ective clothing as protection ment normally required. Use	Total dust. Form Aerosol. elds are recommended. itable protective gloves. against splashing or a NIOSH/MSHA approve
US. AIHA Workplace Enviro Components PROPYLENE GLYCOL (CAS 57-55-6) logical limit values posure guidelines propriate engineering trols vidual protection measures Eye/face protection Skin protection Hand protection Other	TWA TWA No biological exposure limits noted for the General ventilation normally adequate. , such as personal protective equipment Not normally needed. If contact is likely, Not normally needed. For prolonged or re Not normally needed. Wear suitable prot contamination.	15 mg/m3 Value 10 mg/m3 he ingredient(s). safety glasses with side shire epeated skin contact use su tective clothing as protection ment normally required. Use dust/fume at levels exceed	Total dust. Form Aerosol. elds are recommended. itable protective gloves. against splashing or a NIOSH/MSHA approve

9. Physical and chemical properties

.

Appearance	
Physical state	Liquid.
Form	Bottle.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.

рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, sparks and open flame. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	None known. Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Health injuries are not known or expected under normal use.
Eye contact	Health injuries are not known or expected under normal use. Direct contact with eyes may cause temporary irritation.
Ingestion	Health injuries are not known or expected under normal use. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results	
METHYL PARABEN (CAS 99-76-3	5)		
<u>Acute</u>			
Oral			
LD50	Mouse	> 8 g/kg	
PROPYL PARABEN (CAS 94-13-3	5)		
Acute			
Oral			
LD50	Rat	> 2000 mg/kg	
SODIUM PHOSPHATE, MONOBA	SIC (CAS 7558-80-7)		
Acute			
Oral			
LD50	Rat	8290 mg/kg	
ZINC GLUCONATE (CAS 4468-02	-4)		
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
* Estimates for product may be	based on additional compone	at data not shown	
Skin corrosion/irritation		or expected under normal use.	
Irritation Corrosion - Sk	-	or expected under normal use.	
ZINC GLUCONATE		0	
Serious eye damage/eye rritation	Health injuries are not knowr temporary irritation.	or expected under normal use. Direct of	contact with eyes may cause
Respiratory or skin sensitization			
Respiratory sensitization	No studies have been condu	ted.	
Skin sensitization	None known. This product is	not expected to cause skin sensitizatior	۱.
Buehler test	ľ	•	
BENZOIC ACID		Result: Negative	
 <i>.</i> . <i>.</i> . <i>.</i> .		Species: Guinea pig	
Maximisation assay (Ma BENZOIC ACID	gnusson and Kligman)	Result: Negative Species: Guinea pig	
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at g	greater than 0.1% are
Carcinogenicity	Not classifiable as to carcino of occupational exposure.	enicity to humans. Carcinogenic effects	s are not expected as a result
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Not listed.			
OSHA Specifically Regulated	d Substances (29 CFR 1910.	001-1050)	
Not regulated.			
US. National Toxicology Pro	gram (NTP) Report on Carci	ogens	
Not listed.			
Reproductive toxicity	Contains no ingredient listed	as toxic to reproduction	
Specific target organ toxicity - single exposure	Not assigned.		
Specific target organ toxicity - repeated exposure	Not assigned.		
Aspiration hazard	Not established.		
Further information	Occupational exposure to the	substance or mixture may cause adver	rse effects.
12. Ecological information			
Ecotoxicity		s environmentally hazardous. However	this does not evaluate the

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
BENZOIC ACID (CAS 6	65-85-0)		
Acute	1050		1000 mm/ 0 hours
A	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
<i>Acute</i> Algae	EC50	Green algae (Scenedesmus quadricauda)	> 10 mg/l, 14 days Static test
Crustacea	EC50	Water flea (Daphnia magna)	500 mg/l, 24 hours
Fish	EC50	Mosquito fish (Juvenile Gambusia affinis)	180 mg/l, 96 hours Static test
Microtox	EC50	Microtox	16.9 mg/l, 30 minutes
METHYL PARABEN (C	AS 99-76-3)		0.7
Aquatic Acute	,		
Crustacea	EC50	Water flea (Daphnia magna)	11.2 mg/l, 48 hours
Fish	LC50	Medaka, high-eyes (Oryzias latipes)	59.5 mg/l, 96 hours
Chronic			
Crustacea	NOEC	Water flea (Daphnia magna)	0.2 mg/l, 21 days OECD 211
PROPYLENE GLYCOL	. (CAS 57-55-6)		
Acute			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	19000 mg/l, 14 days
	NOEC	Green algae (Selenastrum capricornutum)	15000 mg/l, 14 days
Crustacea	EC50	Daphnia	43500 mg/l, 48 hours
	NOEC	Daphnia	28500 mg/l, 48 hours
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	51400 mg/l, 96 hours Static test
		Rainbow trout (Adult Oncorhyncus mykiss)	51600 mg/l, 96 hours Static test
	NOEC	Fathead minnow (Adult Pimephales promelas)	41000 mg/l, 96 hours Static test
		Rainbow trout (Adult Oncorhyncus mykiss)	42000 mg/l, 96 hours Static test
Microtox	EC50	Microtox	51400 mg/l, 30 minutes
SODIUM BENZOATE (Aquatic	CAS 532-32-1)		
Acute	FOFO	Mater flag (Darkais magna)	> 100 mg/l 00 hours Static toot
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/L, 96 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	484 mg/L, 96 hours Flow-through test
SODIUM PHOSPHATE Aquatic	, MONOBASIC (C	AS 7558-80-7)	
Acute			
Fish	EC50	Golden ide/orfe (Adult Leuciscus idus)	> 2400 mg/l, 48 hours Static test

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Photolysis Half-life (Photolysis-aqu	leous)		
PROPYLENE GLYCOL Half-life (Photolysis-atmospheric)		1.3 - 2.3 Years Estimated	
BENZOIC ACID		< 2 Days Estimated	
	volongth	32 Hours Estimated	
UV/visible spectrum wa BENZOIC ACID	velength	279 nm	
Biodegradability Percent degradation (A	erobic biodegradation-inhere	nt)	
BENZOIC ACID	-	> 90 %, 2 days Modified Zahn-Wellens, Activated sludge	
PROPYLENE GLYCOL		62 %, 5 days BOD5, Activated sludge 79 %, 20 Days BOD20, Activated sludge	
XYLITOL		82 %, 14 days BOD 14, Activated sludge	
	erobic biodegradation-ready)		
METHYL PARABEN SODIUM BENZOATE		89 % , 28 days, OECD 301B 100 %, 28 days Modified OECD Screening Test (OECD	
		301E), Sea water	
Porcent degradation (A)	arabic biodegradation soil)	90 %, 7 days Modified Sturm test., Activated sludge	
Percent degradation (Aerobic biodegradation-soil) BENZOIC ACID		50 %, 7 days	
	naerobic biodegradation)		
PROPYLENE GLYCOL SODIUM BENZOATE		100 %, 9 days 93 %, 7 days Other degradation test system, Mixed	
		Residential/Industrial	
Bioaccumulative potential			
Partition coefficient n-octan BENZOIC ACID	ol / water (log Kow)	1.87	
GLYCEROL		-1.76	
METHYL PARABEN		1.96	
PROPYL PARABEN PROPYLENE GLYCOL		3.04 -1.35	
SODIUM BENZOATE		1.89	
Bioconcentration factor (BC	F)		
PROPYLENE GLYCOL		< 1 Estimated	
Mobility in soil			
Adsorption Soil/sediment sorption	- loa Koc		
BENZOIC ACID		2.26 Measured	
SODIUM BENZOATE		1.16 Calculated	
Mobility in general			
Volatility			
Henry's law BENZOIC ACID		0 atm m^3/mol Estimated	
PROPYLENE GLYCOL		0 atm m^3/mol Estimated	
Distribution Octanol/water distributi PROPYL PARABEN	on coefficient log DOW	3.04	
Other adverse effects	Not available.	5.0 1	
13. Disposal consideration	19		
Disposal instructions		e in sealed containers at licensed waste disposal site. Do not	
	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground. Dispose in accordance with all applicable regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products			

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as a dangerous good.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)				
nce List (40 CFR 302.4)				
	Listed.			
	Listed.			
se notification				
d Cubatanaaa (20 CED 4040 4	001 1050)			
d Substances (29 CFR 1910.1	001-1050)			
Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - No				
Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No				
SARA 302 Extremely hazardous substance Not listed.				
No				
112 Hazardous Air Pollutants	s (HAPs) List			
Not regulated.				
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)				
Not regulated.				
FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace				
6-81-5)	Other Flavoring Substances with OSHA PEL's			
ubstances. CA Department of	Justice (California Health and Safety Code Section 11100)			
hemicals List. Safer Consume	r Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.			
METHYL PARABEN (CAS 99-76-3) PROPYL PARABEN (CAS 94-13-3)				
US. Massachusetts RTK - Substance List				
BENZOIC ACID (CAS 65-85-0) GLYCEROL (CAS 56-81-5)				
	nce List (40 CFR 302.4) -85-0) S 4468-02-4) se notification d Substances (29 CFR 1910.1 authorization Act of 1986 (SA Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No dous substance No 112 Hazardous Air Pollutants 112(r) Accidental Release Pr Not regulated. ces Respiratory Health and Sa 6-81-5) ubstances. CA Department of hemicals List. Safer Consume S 99-76-3) S 94-13-3) ubstance List -85-0)			

US. New Jersey Worker and Community Right-to-Know Act

BENZOIC ACID (CAS 65-85-0) GLYCEROL (CAS 56-81-5) PROPYLENE GLYCOL (CAS 57-55-6) ZINC GLUCONATE (CAS 4468-02-4)

US. Pennsylvania Worker and Community Right-to-Know Law

BENZOIC ACID (CAS 65-85-0) GLYCEROL (CAS 56-81-5) PROPYLENE GLYCOL (CAS 57-55-6)

US. Rhode Island RTK

BENZOIC ACID (CAS 65-85-0) ZINC GLUCONATE (CAS 4468-02-4)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-04-2013
Revision date	09-23-2016
Version #	06
Further information	HMIS® is a registered trade and service mark of the ACA.
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
References	GSK Hazard Determination
Disclaimer	The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.